



- 1 With scan speeds up to 80 ppm (160 ipm), this scanner is ideal for shared workgroups.
- 2 Handles up to 80 sheets (20 lb./80g/m²) of paper and also small documents such as ID cards, embossed hard cards, business cards, and insurance cards.
- 3 The 3.5" control panel screen is easy to read, with custom activity names and color icons that make scanning tasks quick and easy to select.
- 4 Reduce host processing requirements with Embedded Image Processing.
- 5 Active Feed technology takes the worry out of document prep for small batches.
- 6 Controlled Output Stacking keeps documents neatly organized at output so you can focus on your customer.
- 7 **Kodak** Passport Flatbed Accessory and **Kodak** Integrated A4/Legal Size Flatbed Accessory plus A3 size Flatbed available for specialty media and for exception processing.
- 8 Perfect Page technology optimizes image quality dynamically on every image for more accurate information extraction.
- 9 Compact, robust scanner fits easily on desktops in modern office environments.
- 10 Network connectivity, including wireless, enables scanning to cloud and transactional web capture from business applications.

Great software downloads available. Upgrade as you need.

With **Kodak S2080w** Scanners, download Smart Touch and be productive right away.

For business problems that require more sophisticated solutions, talk to us about our software portfolio.

To learn more, go to AlarisWorld.com/go/software

ENVIRONMENTALLY APPROVED

EPEAT® Silver: Kodak S2000 Series Scanners have achieved the status of EPEAT® Silver Registered and meet ENERGY STAR® guidelines for energy efficiency and for the reduction of hazardous substances and waste products.

ENERGY STAR® certified scanners are independently certified to save energy without sacrificing features or functionality.

IN2 Ecosystem: Combining hardware, software, solutions, and services, developed by Kodak Alaris and our partners, get data to the right place at the right time.

To learn more about our EPEAT status, visit

AlarisWorld.com/go/EPEAT

Welcome to the next level of information capture.

The **Kodak S2080w** Scanners get information into your business processes simply and quickly.

Kodak S2080w Scanners

Features		
Throughput Speeds *	Black-and-white/grayscale/color: up to 80 ppm/160 ipm at 200 and 300 dpi	
Recommended Daily Volume	Up to 12,000 pages per day	
Processor	Embedded Dual Core Cortex A15 Processors (1.5GHz) with Dual DSP (750 MHz) Image Processors with Multiple Cortex M4 Sub-processors	
Software Options	Kodak Info Input Solution, Kodak Capture Pro Software (WINDOWS only) and Asset Management Software.	
Recommended PC Configuration	"Minimum PC configuration with scanning application: Intel Core i3 processor or faster, at least 4 GB RAM (Microsoft Windows)"	
Max./Min. Document Size**	"216 mm x 356 mm (8.5 x 14 in.) / 52 mm x 52 mm (2.08 in. x 2.05 in.), Long document mode: 216 mm x 3,000 mm (8.5 in. x 118 in.)"	
Paper Thickness and Weight	"27-433 g/m ² (7.2 lb. bond paper - 160 lb. cover stock), ID card thickness: up to 1.4 mm (0.55 in.)"	
Feeder	"Up to 80 sheets of 80 g/m ² (20 lb.) paper Handles small documents such as A8, ID cards, embossed hard cards, and insurance cards (portrait and landscape orientations)"	
Paper Feeding Detection	Multifeed with ultrasonic technology, Intelligent Document Protection	
Connectivity	USB 3.1 GEN1, Wireless Network 802.11 b/g/n and 10/100 Ethernet WLAN Security- WEP 64/128 Bit, WPA-PSK, WPA2-PSK, MSCHAPv2, EAP-TLS	
Bundled Software	"WINDOWS Bundled Software: TWAIN, ISIS, WIA Drivers; Smart Touch; Kodak Capture Pro Limited Edition (via web download)W, KOFAX certified"	
Supported Operating Systems	Windows 10 (32-bit and 64-bit; up to Version 1903) Windows 8.1 (32-bit and 64-bit) Windows 7 SP1 (32-bit and 64-bit) Windows Server 2012 R2 (64-bit) Windows Server 2016 (64-bit) Linux * - (Intel/AMD x86/x64 processors only) Ubuntu 18.04 64-bit Ubuntu 16.04 64-bit and 32-bit Open SUSE 11.3 (i586) 32-bit	Open SUSE LEAP 15.1 64-bit SUSE Linux Enterprise Desktop 12.2 64-bit SUSE Linux Enterprise Desktop 15 SP1 for 64-bit Neokylin-NKLD-V7_U2-ZX64-REL-build54 NeoKylin-Live-Desktop-6.0-x86_64-B060-20160822 NeoKylin-Linux-Desktop-6.0-x86_64-B045-20141201 64-bit NeoKylin-Linux-Desktop-6.0 i586 32-bit Citrix Certified
File Format Outputs	Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF, TXT, PNG, CSV, Word and Excel	
Optical Resolution	600 dpi	
Output Resolution	75 / 100 / 150 / 200 / 240 / 250 / 260/ 300 / 400 / 500 / 600 / 1200 dpi	
Illumination	Dual RGB LEDs	
Scanning Technology	Dual CIS; Grayscale output bit depth is 256 levels (8-bit); color output bit depth is 24 bits (8 x 3)	
Imaging Features	Barcode reading (10 types, up to 6 per side), Perfect Page Scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; fixed crop; add / remove border; electronic color dropout; dual stream scanning; enhanced color management; enhanced color adjustment; brightness and contrast adjustment; automatic orientation; automatic color detection; background color smoothing; intelligent image edge fill; image merge; content-based blank page detection; streak filtering; round/rectangular hole fill; sharpness filter; auto brightness; auto white balance; all-color dropout; multi-color dropout; long document scanning (up to 3000 mm/118 in.); sleeve scanning (for scanning A3 documents); black and white image segmentation; automatic photo cropping; Multiple document output; image split; digital stamping	
Operator Control Panel	3.5-inch/89 mm color touch screen LCD	
Power Consumption	Off: < 0.5 watts; Sleep mode: < 5.0 watts; Running: <36 watts	
Environmental Factors	EPEAT Registered ENERGY STAR Qualified Operating Temperature: 10-35° C (50-95° F) Operating Humidity: 15% to 80% RH	
Electrical Requirements	100-240 V (International); 50-60 Hz	
Accessories (optional)	Kodak Carrier Sleeves (5 PACK), Kodak S2080w Feed Roller Kit, Kodak S2000 Series Stacking Deflector Accessory, Kodak Integrated A4/Legal Flatbed, Kodak Passport Flatbed Accessory, Kodak A3 Size Flatbed"	
Limited Warranty	1 Year	
Certifications	AS/NZS CISPR 32 (Class B RCM mark), CAN / CSA - C22.2 No 60950-1 (TUV C mark), Canada CSA-CISPR 32 / ICES-003 (Class B), China GB4943.1; GB9254 Class B (CCC S&E mark), EN55032 ITE Emissions (Class B), EN55024 ITE Immunity (CE mark), EN60950-1 (TUV GS mark), IEC60950-1:2005, Taiwan CNS 13438 (Class B); CNS 14336-1 (BSMI mark), UL 60950-1 (TUV US mark), CFR 47 Part 15 (FCC Class B)	
Consumables Available	Kodak S2080w Feed Roller Kit, roller cleaning pads, STATICIDE Wipes, transport cleaning sheets, Brilliance Detailer Wipes, Kodak Carrier Sleeves	
Dimensions and Weight	"Weight: 3.3 kg (7.2 lbs.) Depth: 204 mm (8.0 in.), not including input tray and output tray; Width: 312 mm (12.3 in.) Height: 182.5 mm (7.2 in.), not including input tray; Depth with Input Tray: 269 mm (10.6 in.); Height with Input Tray: 231.6 mm (9.1 in.)"	

Disclaimers:

* Throughput speed may vary depending on your choice of driver application software, operating system, PC and selected image processing features.

** The maximum document size supported by the scanner will vary based on the output image resolution and image compression used.

Want to learn more?

AlarisWorld.com/go/S2080wScanner

Please contact:

Email: askme@kodakalaris.com

Kodak alaris



Services from
Kodak alaris

All trademarks and trade names used are the property of their respective holders.

The Kodak trademark and trade dress are used under license from Eastman Kodak Company.

© 2021 Kodak Alaris Inc.
TM/MC/MR: Alaris
04/21